

CARBON DIOXIDE TYPE FIRE EXTINGUISHER SPARES AND ACCESSORIES

CO₂ FIRE EXTINGUISHER VALVES

Product Code	0003	Component	1/2" CO ₂ Valve Assembly
Inlet Thread	Outlet Thread	Dip Thread	Safety Device
1/2" – 14NPT	W21.8 x 14	M10 x 1	210 ± 15bar

Materials:

Valve Body	Spindle	Spring	Safety Pin
Hot pressed brass CuZn40Pb2 Sandblasted / nickel - plated	Turned brass CuZn40Pb2	Stainless Steel	Brass / stainless steel
Handle / Lever	Dip Tube Adaptor	Retainer For Safety	
Steel sheet Fe P13 cold formed epoxy coated	Nylon	Soft PVC	



Product Code	0002	Component	3/4" CO ₂ Valve Assembly Front outlet
Inlet Thread	Outlet Thread	Dip Thread	Safety Device
3/4" – 14NPT	W21.8 x 14	M10 x 1	210 ± 15bar

Materials:

Valve Body	Spindle	Spring	Safety Pin
Hot pressed brass CuZn40Pb2 Sandblasted / nickel - plated	Turned brass CuZn40Pb2	Stainless Steel	Brass / stainless steel
Handle / Lever	Dip Tube Adaptor	Retainer For Safety	
Steel sheet Fe P13 cold formed epoxy coated	Nylon	Soft PVC	



Product Code	0002.1	Component	3/4" CO ₂ Valve Assembly Side outlet
Inlet Thread	Outlet Thread	Dip Thread	Safety Device
3/4" – 14NPT	W21.8 x 14	M10 x 1	210 ± 15bar

Materials:

Valve Body	Spindle	Spring	Safety Pin
Hot pressed brass CuZn40Pb2 Sandblasted / nickel - plated	Turned brass CuZn40Pb2	Stainless Steel	Brass / stainless steel
Handle / Lever	Dip Tube Adaptor	Retainer For Safety	
Steel sheet Fe P13 cold formed epoxy coated	Nylon	Soft PVC	



Product Code	0001	Component	1" CO ₂ Valve Assembly
Inlet Thread	Outlet Thread	Dip Thread	Safety Device
1" – 11.5NPT	W21.8 x 14	M10 x 1	210 ± 15bar

Materials:

Valve Body	Spindle	Spring	Safety Pin
Hot pressed brass CuZn40Pb2 Sandblasted / nickel - plated	Turned brass CuZn40Pb2	Stainless Steel	Brass / stainless steel
Handle / Lever	Dip Tube Adaptor	Retainer For Safety	
Steel sheet Fe P13 cold formed epoxy coated	Nylon	Soft PVC	



Product Code	0004	Component	M25 x 2 mm CO ₂ Valve Assembly for Aluminium extinguisher ("O"-Ring type)
Inlet Thread	Outlet Thread	Dip Thread	Safety Device
M25 x 2	W21.8 x 14	M10 x 1	190 ± 15bar

Materials:

Valve Body	Spindle	Spring	Safety Pin
Hot pressed brass CuZn40Pb2 Sandblasted / nickel - plated	Turned brass CuZn40Pb2	Stainless Steel	Brass / stainless steel
Handle / Lever	O-Rings	Dip Tube Adaptor	Retainer For Safety
Steel sheet Fe P13 cold formed epoxy coated	Nitrile rubber from 80 to 90 SH	Nylon	Soft PVC



Product Code	0001.4	Component	3/4" CO ₂ Screw Down Valve
Inlet Thread	Outlet Thread	Dip Thread	Safety Device
3/4" - 14NPT	W21.8 x 14	M10 x 1	210 ± 15bar

Materials:

Valve Body	Spindle	Spring	Safety Pin
Hot pressed brass CuZn40Pb2 Sandblasted / nickel - plated	Turned brass CuZn40Pb2	Stainless Steel	Brass / stainless steel
Handle / Lever		Dip Tube Adaptor	Retainer For Safety
Steel sheet Fe P13 cold formed epoxy coated		Nylon	Soft PVC



Product Code	0001.5	Component	1" CO ₂ Screw Down Valve
Inlet Thread	Outlet Thread	Dip Thread	Safety Device
1" -11.5NPT	W21.8 x 14	M10 x 1	210 ± 15bar

Materials:

Valve Body	Spindle	Spring	Safety Pin
Hot pressed brass CuZn40Pb2 Sandblasted / nickel - plated	Turned brass CuZn40Pb2	Stainless Steel	Brass / stainless steel
Handle / Lever		Dip Tube Adaptor	Retainer For Safety
Steel sheet Fe P13 cold formed epoxy coated		Nylon	Soft PVC





CO₂ HOSE AND HORN ASSEMBLIES

Product Code	Component	Description
0005	2.0Kg CO ₂ Fixed Horn	Plastic CO ₂ conical fixed discharged horn
0006	2.0Kg CO ₂ Swing Horn	Plastic CO ₂ swing discharge horn
0010	5.0Kg Hose & Horn	Plastic CO ₂ discharge horn with 8mm high pressure flexible PVC hose. -30°C/+60°C, WP 150kgf/cm ² BP450kgf/cm ² with W21.8 x 14 fitting
0010.1	5.0Kg Hose & Horn with 1/4" Fitting	Plastic CO ₂ discharge horn with 8mm high pressure flexible PVC hose. -30°C/+60°C, WP 150kgf/cm ² BP450kgf/cm ² with 1/4" NPT fitting